



THORNTON LABORATORIES TESTING & INSPECTION SERVICES, INC.

1145 E. Cass St, Tampa, FL 33602
Phone: 813-223-9702 Fax: 813-223-9332
WWW.THORNTONLAB.COM

29-Feb-2016
Page 1 of 1

Report for: BAM Agricultural Solutions
190 NW Spanish River Blvd., Suite 101
Boca Raton, FL 33431
Attn: Karen Tygesson/ Dave Watson

Sample Identification:

Liquid Solution
Sample No: BAM-FX, 22216-1
Date: 2/23/16, 10:00 am

Date Received: 24-Feb-2016

Laboratory Number: 389409A

CERTIFICATE OF ANALYSIS

Method	Parameter	Result	Units	Detection Limit-	Analysis Date/Analyst
EPA 6010	Arsenic (As), Total	< 0.25	mg/Kg	0.25	02-26-16 *
	Barium (Ba), Total	0.2	mg/Kg	0.01	02-26-16 DS
	Cadmium (Cd), Total	0.2	mg/Kg	0.01	02-26-16 DS
	Chromium (Cr), Total	< 0.1	mg/Kg	0.01	02-26-16 DS
	Cobalt (Co), Total	0.8	mg/Kg	0.01	02-26-16 DS
	Copper (Cu), Total	20700	mg/Kg	0.01	02-26-16 DS
	Lead (Pb), Total	< 1	mg/Kg	0.01	02-26-16 DS
EPA 7471	Mercury (Hg), Total	< 0.01	mg/Kg	0.01	02-26-16 *
EPA 6010	Molybdenum (Mo), Total	0.3	mg/Kg	0.01	02-26-16 DS
	Nickel (Ni), Total	3.7	mg/Kg	0.01	02-26-16 DS
	Zinc (Zn), Total	56250	mg/Kg	0.01	02-26-16 DS
	Selenium (Se), Total	< 0.17	mg/Kg	0.17	02-26-16 *
	Silver (Ag), Total	< 0.18	mg/Kg	0.18	02-26-16 *
EPA 3050B	Digestion/Preparation for Analysis			1.0184-100	02-25-16 SR

* Analysis performed by Pace Analytical [#E84809].

THORNTON LABORATORIES
Steve Fickett, II